



SPECIFICATIONS

Prices may be listed on a separate quotation page.

Prices and specifications are subject to change without notice.

Prices **MIGHT NOT INCLUDE** freight, handling and applicable taxes.

844.RMT.INFO

www.RMTUS.com

Profile Type			A-GIANT 1417		Notes
			Dimensions	Min. Internal Diameter	
1	Solid - Square		8" x 8"	126"	○
2	Flat-Along Edge		12" x 4"	126"	○
3	Solid - Rectangle		22" x 5"	126"	○
4	Angle Leg-Out		10" x 10" 1"	160"	○●
5	Angle Leg-In		10" x 10" 1"	180"	○●
6	T Section Leg-Down		10" x 10" 1"	120"	○
7	T Section Leg-Out		10" x 10" 1"	120"	○
8	T Section Leg-In		10" x 10" x 1"	158"	○
9	Tubing - Square		12" x 12" x 5/8"	400"∞	○●
10	Tubing - Rectangle		20" x 10" x 5/8"	550"∞	○●
11	Solid - Round		Ø9"	244"	○●
12	Schedule 40 Pipe		16" SCH 40	472"∞	●
13	Tubing - Round		Ø18" x 0.300"	590"∞	●
14	C Section Leg-Out		C15-50#	88"	○●
15	C Section Leg-In		C15-50#	92"	○●
16	I Section Easy Way		S24-121#	200"	●
17	H Section Easy Way		W24-146#	255"	●
18	C Section Hard Way		C15-50#	826"	●
19	I Section Hard Way		S18-54.7#	787"	●
20	H Section Hard Way		W12-87#	473"	●

Capacity based on mild steel | ∞ Can be changed according to deformation
 ○ Standard Rolls | ● Special Rolls | X Special Support Rolls | ▲ Special Tools

Shaft Diameters: 14.17"

Roll Diameters: 33.46"

Motor Power: 105 HP

Turning Speed: 6-13 FPM

Dimensions: 187" L x 130" W x 134" H

Weight: 121255 lbs.

RMT Profile Rolls

A-GIANT 1417



STANDARD SPECIFICATIONS:

- Steel construction welded frame
- 3 Rolls are hydraulic powered by planetary gearbox separately
- Hardened and ground shafts made of high tensile special steel
- Rolls are hardened and ground
- Only horizontal working position
- Hardened standard rolls
- Two speed working system
- Mobile control panel
- 3 Axis hydraulic lateral angle guide rolls
- Digital Read-Outs (1pcs)

OPTIONS:

- All kind of pipes, tubes, profile rolls and I, H and U beam attachments are available upon request
- Variable turning speed
- NC control